



INTRODUCING A
NEW SPECIES OF
CRANE

 **ENSIGN**

Series by  **THERN**

LEAVE THE HEAVY LIFTING TO US

Winona, MN USA | 1.800.843.7648 | www.thern.com



Made in the USA



ISO
9001:2008
REGISTERED





ENSIGN

ENSIGN CAPACITY 500 LB / 227 KG **500**



SERIES FEATURES

ADJUSTABLE SHEAVE BLOCK

Sheave easily adjusts without tools to 4 different positions allowing for a wide range of height and reach combinations.

ADJUSTABLE BOOM ANGLE

Convenient stainless steel adjustment screw, with comfortable turning knob, allows for easy, one-hand boom adjustment when not under load.

QUICK-MOUNT WINCH BRACKET

A variety of Thern winches can be attached to the bracket. After a winch is attached to the bracket, the bracket is easily mounted (without tools) to any of three convenient/ergonomic positions on the mast via quick-connect pins.

ROLLER/BALL BEARING*

Standard on Ensign 1000, the specially designed roller/ball bearing at top of base requires no tools for installation. Allows smooth, easy 360° crane rotation under load.

STAINLESS STEEL LOCK*

Stainless steel lock assembly keeps crane in position during winch operation and when not in use. Included with roller/ball bearing.

NYLATRON FLANGE BEARING

The Ensign 500 features a nylatron bearing that supports the mast at the top of the base to assist with the crane's 360° smooth rotation.

TAPERED ROLLER BEARING

A tapered roller bearing, pinned to the bottom of the mast, allows the crane to rotate 360° under load. Standard only on the Ensign 500.



Swaged ball fitting allows for quick and easy installation of wire rope assemblies.



*Not available on the Ensign 500

SPECIALLY DESIGNED WITH
THE WATER/WASTEWATER
INDUSTRY IN MIND

SERIES CRANES

 **ENSIGN**
CAPACITY 1200 LB / 544 KG **1000**

KGS
544
LBS
1200

TRADITIONAL FEATURES

MANUAL OR POWER OPERATION

Thern davit cranes can be configured with a manual winch for short, infrequent lifts or a power winch for longer lifts or heavier loads. Choose from Thern's spur or worm gear hand winches or power winches with 115/1/60 as standard. Other voltages available as well as pneumatic, hydraulic or DC Volt power operation.

CORROSION RESISTANT FINISH

Electrostatic powder coated crane and stainless steel fasteners combine to resist corrosion in harsh environments. Other options available include: galvanized, stainless steel and epoxy finishes.

EASY ASSEMBLY/DISASSEMBLY

Quick-release clevis style stainless steel pins allow for easy assembly and quick disassembly for transport or storage. No tools required.

VARIETY OF BASES


Pedestal, flush and wall mount bases allow for a variety of mounting solutions and are easily installed to a variety of solid surfaces with anchor bolts or other fastening methods. Bases sold separately. Heavy-duty base cap included with lanyard keeps water and debris out of base when crane is removed.

QUICK DISCONNECT ANCHOR

For quickly attaching or removing wire rope equipped with a swaged ball fitting - Allows the operator to leave the wire rope attached to the load at all times and simply remove the rope from the winch and attached to the optional wire rope keeper or cable reel.

2 - YEAR WARRANTY

Industry-leading two-year limited warranty on all our products.



Pedestal



Flush Mount



Wall Mount



Swaged Ball Fitting



Wire Rope Keeper



Wire Rope Cable Reel



ISO
9001:2008
REGISTERED

a reputation of
Excellence

With over 65 years of varied experience and continuous research, development and testing, Thern winches and cranes have established a worldwide reputation for toughness, versatility and reliability. Today, Thern continues its tradition of excellence by providing standard and customized load handling equipment to leading companies all around the world. The company offers lifting and pulling solutions to a variety of industries.



Bulk Handling



Construction



Defense/Government



Manufacturing



Mining



Oil & Gas



Theatre



Utilities
Power Generation



Water/Wastewater



THERN

LEAVE THE HEAVY LIFTING TO US

Thern, Incorporated
Corporate Headquarters
& Manufacturing
5712 Industrial Park Road
Winona, MN USA
1-800-843-7648
Phone: 1-507-454-2996
www.thern.com

Thern Europe
Windmolen 22
7609 NN Almelo
Netherlands
Phone: +31-548-659-052
europe@therneurope.eu

Dealer Information

